


# IMMERSION RTD'S

TEMPERATURE RANGE: -58°F to 500°F (-50°C to 260°C)



## SPECIFICATIONS

### RTD Element



Type: Platinum, Thin Film  
Resistance @ 0° C: 100 OHMS  
Temperature Coefficient of Resistance: .00385  
Sheath Material: 316 Stainless Steel

### Lead Wire

Conductor Size: 24 Gauge Stranded  
Conductor Material: Nickel Plated Copper

### Connectors

Body Material: Thermoplastic  
Polarized Pins  
Spring Loaded Inserts  
Maximum Temperature Limit: 390°F (200°C)



## ORDERING CODE

CODE	SHEATH DIAMETER	AVAILABILITY (W=WIRES, T=TOTAL)					
		SINGLE			DUPLEX		
		2W	3W	4W	2W(4T)	3W(6T)	4W(8T)
18	1/8" (3.2mm)	●	●	●	●	●	●
316	3/16" (4.8mm)	●	●	●	●	●	●
14	1/4" (6.4mm)	●	●	●	●	●	●

CODE	ACCURACY (ASTM E1137)
	CLASS B (LEAVE BLANK)
CLA	CLASS A

CODE	IMMERSION LENGTH (IN INCHES (28" MAX. LENGTH))
	12
	36

CODE	LEAD LENGTH (IN INCHES)

CODE	SYSTEM
2W	2 WIRE (4 DUPLEX)
	3 WIRE (LEAVE BLANK)*
4W	4 WIRE

\*Single or Duplex

RTD - 14 - LT - 12 - 36 - 1 - A

CODE	STRUCTURE
	SINGLE (LEAVE BLANK)
D	DUPLEX

CODE	LEAD WIRE INSULATION
1	FIBERGLASS
5	TEFLON

CODE	TERMINATION
A	BARE ENDS (NOTE 1)
T	STANDARD SIZE 3 PIN PLUG
L	STANDARD SIZE 2 PIN PLUG
C	STANDARD SIZE 4 PIN PLUG
H	MINIATURE 2 PIN PLUG (SEE NOTE 1)
H3	MINIATURE 3 PIN PLUG (SEE NOTE 1)
T3	STANDARD SIZE 6 PIN PLUG

CODE	MATING CONNECTOR (OMIT IF NOT ORDERED)
T1	STANDARD SIZE 3 PIN JACK
N	STANDARD SIZE 2 PIN JACK
C1	STANDARD SIZE 4 PIN JACK
K	MINIATURE 2 PIN JACK
K3	MINIATURE 3 PIN JACK
TT3	STANDARD SIZE 6 PIN JACK

### Notes:

- (1) Available with spade lugs, replace "A" with "LG".
- (2) For an item that does not fall within the catalog description an (SP) can be added to the ordering code as part of a custom construction.



TEMPERATURE MEASUREMENT DESIGNER'S GUIDE  
WWW.THERMO-ELECTRIC-DIRECT.COM

## SECTION IMRD

### TYPE "LT"

IMMERSION RTD'S with LEAD WIRE  
SINGLE & DUPLEX CONSTRUCTION

The information contained hereon shall be considered the sole property of Thermo Electric Company, Inc. The recipient thereof agrees not to disclose or reproduce said information to parties outside the recipient's organization without the written permission of Thermo Electric.

Doc. No.: TE-CO010109-IMRD-050